
Robex S.A. (Pty) Ltd. Reg: 2002/012975/07

Boksburg (Head Office): Unit 2, 6 middle Muir Road.

P.O. Box 20802, Boksburg, 1460

T:+27 11 892 2604/2565/2570/3017 F: +27 11 917 1474 M: +27 (0) 79 498 6420

www.robex.co.za



RX FLAKE WALL AND FLOORING SPECIFICATION

A. RX-FLAKE FLOORING SYSTEM:-

Specification for application of RX-Flake onto new concrete wall and floor areas

Specification

- The new floor should be mechanically ground to remove any laitance or contaminants which could cause delamination of the resin systems.
- The prepared area should be primed using our RX- Primer GP. This should be permitted to cure for 1 hour.
- A 2mm screed of the RX-MMA Resin System should now be trowel applied to the prepared area, whilst the area is still wet a full broadcast of acrylic flake should be applied to the floor, this should be allowed to cure for one hour before sweeping away any excess flake.
- A double coat of RX-Sealer GP should now be applied to the screeded area, allowing one hour between coats. The floor should be permitted to cure for a period of one hour, after which normal traffic may resume. This will provide you with a fast track resin floor system, ideally suited to your application.
- The finished colour and flake will be to Architects specification.

All of the information contained within this document remains the property of **Robex SA (Pty) Ltd.**

The information contained in this document must not be disclosed or revealed to any persons or companies or organizations other than those authorized by a senior representative of **Robex SA (Pty) Ltd.** This document must not be copied or reproduced in part or entirety by print or by electronic means or by any other means of duplication without consent in writing from an authorized senior representative of **Robex SA (Pty) Ltd.**

Should this document become lost, mislaid or stolen the authorized holder must notify a senior representative of **Robex SA (Pty) Ltd.** immediately by telephone and confirmed in writing.

Misuse of this document or failure to comply with any instructions herein could lead to action being taken by **Robex SA (Pty) Ltd.**

J. Moore | C. Mills